



**TMA-1350
MOISTURE
DETERMINATION
BALANCE**



AGGREGATE

www.testmak.com

Moisture Determination Balance



PRODUCT MODEL

TMA-1350 | Moisture Determination Balance, 220 V 50/60 Hz

STANDARDS

GENERAL

INFORMATION

Manufacturer : TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ

Country of Origin : TURKEY

Product Name: Moisture Determination Balance, 220 V 50/60 Hz

Code of Product: TMA-1350

HS CODE: 90248099

Moisture Determination Balance

DESCRIPTION

The Moisture determination balance is used used for to determine the moisture content of relatively small samples of various substances.

Technical Specifications for Moisture determination balance 50 g capacity

Capacity: 50 g

Pan Size: Ø 90 mm

Readability: 1 mg

Max. Sample Mass: 50 g

Moisture Reading Accuracy: 0.001%

Repeatability: $\pm 0.24\%$ (sample < 2 g)

Maximum Drying Temp.: 160°C

Drying Modes: 4 Modes (Standard / Quick / Step / Mild)

Drying Modes: 400 W

Power Supply: 110-240 V 50-60 Hz AC

Display : LCD (backlit)

TECHNICAL SPECIFICATIONS

Dimensions	210x335x190 mm
Weight	5 kg



TESTMAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY