



**TMA-1400  
SPEEDY MOISTURE  
TEST DEVICE**



**AGGREGATE**

[www.testmak.com](http://www.testmak.com)

## Speedy Moisture Test Device



### PRODUCT MODEL

TMA-1400 | Speedy Moisture Test Device

### STANDARDS

BS 812-109

### INFORMATION

**Manufacturer :** TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ

**Country of Origin :** TURKEY

**Product Name:** Speedy Moisture Test Device

**Code of Product:** TMA-1400

**HS CODE:** 90248099

## Speedy Moisture Test Device

### DESCRIPTION

The Speedy moisture device is field conditions dust, pulp mixture and the soil, sand, clay, aggregate and other granular materials quickly and accurately detect moisture content. Moisture within the sample, as a result of reaction with calcium carbide acetylene gas occurs. The resulting pressure caused by gas, dial indicator is determined as the percent moisture content. Within a few minutes into the issue determines the moisture content of the sample. Precision Scale, measuring spoons and cups, calibration kit, 1 box of calcium carbide reagent, cleaning brush, wooden enclosure with a complete set as.

- 20 cup capacity
- Humidity Range: 0 - 20%
- Net Weight: 8 Kg

### TECHNICAL SPECIFICATIONS

Technical Specifications	
Dimensions	700x500x300 mm
Weight (approx.)	8 kg



**TESTMAK**  
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42  
Fax : +90 312 395 36 01

Website : [www.testmak.com](http://www.testmak.com)  
E-Mail : [info@testmak.com](mailto:info@testmak.com)

Koca Sinan Industrial Sites 1183 Street No:  
40 06370 OSTIM / ANKARA / TURKEY