

**TMA-1410
SLAKE DURABILITY
APPARATUS**



AGGREGATE

Slake Durability Apparatus



PRODUCT MODEL

- TMA-1410 | Slake Durability Apparatus, 220 V 50-60 Hz
TMA-1410/110 | Slake Durability Apparatus, 110 V 60 Hz
TMA-1412 | Pair of Mesh Drums

STANDARDS

ASTM D4644

INFORMATION

Manufacturer : TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ

Country of Origin : TURKEY

Product Name: Slake Durability Apparatus

Code of Product: TMA-1410

HS CODE: 90248099

Slake Durability Apparatus

DESCRIPTION

Slake Durability Test Apparatus has been developed to assess the deterioration of rocks over a period of time when subjected to water immersion. The rock samples are dried and then submitted to wear stress inside a drum which is rotated into water. The test is performed different times and the wear is given by the loss in weight of the sample.

This Apparatus consists of a motorized drive unit which is mounted on a baseplate and which can rotate two or four drums at a speed of 20 r.p.m. The tank assemblies are filled with water to a level 20 mm below the drum axis. The test drums are manufactured from 2.00 mm mesh, 140 mm dia. x 100 mm long. A digital timer automatically stops the motor after the preset time. The equipment is supplied complete with two drums with tanks, and it can accept two additional drums.

TECHNICAL SPECIFICATIONS

Technical Specifications	
Drum Mesh No	2 mm
Drum Dia	140 mm
Drum Height	100 mm
Dimensions	1200x160x400 mm
Weight (approx.)	18 kg



TESTMAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY