

TMB-1870
Vacuum Pyknometer
Test Set



ASPHALT

Vacuum Pyknometer Test Set



PRODUCT MODEL

TMB-1870	Vacuum Pyknometer Test Set, 220-240 V 50/60 Hz
TMB-1870/110	Vacuum Pyknometer Test Set, 110 V 60 Hz
TMB-1871	Rubber vacuum hose (two pieces), 2 m
TMB-1872	Vibro-Deaerator, Timer Controlled, 220-240 V 50-60 Hz
TMB-1872/110	Vibro-Deaerator, Timer Controlled, 110 V 60 Hz
TMG-0482	Vacuum Gauge, Ø 63 mm 1000 Mbar Manometer
TMG-0460	Vacuum Pump, Double Stage, 220-240 V 50-60 Hz
TMG-0460/110	Vacuum Pump, Double Stage, 110 V 60 Hz
TMG-0068	Filter Flask 2000 ml

STANDARDS

EN 12697-5 | ASTM D2041

INFORMATION

Manufacturer : TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ

Country of Origin : TURKEY

Product Name: Vacuum Pyknometer Test Set

Code of Product: TMB-1870

HS CODE: 90248099

Vacuum Pycnometer Test Set

DESCRIPTION

The Heavy Duty Vacuum Pycnometer Test Set is used for determining the theoretical maximum specific gravity of uncompacted bituminous paving mixtures. The Vacuum Pycnometer can also be used for the calculation of the percent of air voids in compacted bituminous mixtures and the amount of bitumen absorbed by the aggregates. The Vacuum Pycnometer is 10 Liters capacity and manufactured from transparent plastic material.

The Heavy Duty Vacuum Pycnometer is supplied complete with;

- Vacuum Pycnometer 10 lt Capacity
- Vacuum pump
- Vacuum Gauge
- Rubber vacuum hose (two pieces)
- Vacuum Gauge, Ø 63 mm 1000 mbar manometer
- Filter Flask 2000 ml

TECHNICAL SPECIFICATIONS

Product Code	TMB-1870
Capacity	10 Liter
Max. Sample Weight	6000 g
Max. Aggregate Size	50 mm (2 inch)
Dimensions	300x300x450 mm
Weight (approx)	11 kg



Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY